



PlaybackPro Plus

3.7 User Guide



PlaybackPro Plus is a professional, high-definition, non-linear media playback application for macOS. It makes professional media playback on a Mac quick and simple.

Table of Contents

PlaybackPro Plus Operation

Before You Begin	3
About PlaybackPro Plus	3
General Hardware Setup	3
Activation Overview	3
Demo mode.....	4
PreFlight.....	4
Top Keyboard Commands	4
System Specifications	4
Also from DT Videolabs	5
Audio	5
Controllers	5
Activation	6
Releasing a License	7
Layout	8
Preview / Program	8
Playlist	9
Clip Settings	11
Navigation Controls	12
Show Controls	12
Take	12
Program's End	13
End All	14
Edit Multiple Mode	15
SimpleSync	16
Using SimpleSync	16
Configuring SimpleSync	17
SimpleSync FAQ	20
UDP and TCP/IP Remote Control	21
PlaybackPro Plus Keyboard Shortcuts	24

Before You Begin

About PlaybackPro Plus

PlaybackPro Plus is designed to make professional media playback on a Mac quick and simple. By utilizing the best in Apple video technology, PlaybackPro Plus has been optimized to play virtually any modern Mac file type. The intuitive interface allows you to rapidly add media, organize and play clips, apply custom settings and save playlists, all without altering the original files.

PlaybackPro Plus includes a mixer for crossfades and direct cuts between clips, support for still images and remote control over ethernet.

Automatic output resolution and aspect ratio functions are built-in, with real-time manual adjustments available for sizing, stretching, cropping, as well as gain, saturation, black levels, hue and volume.

Connecting a PlaybackPro Plus system is easy too. By using modern Apple video adapters or third party converters, PlaybackPro Plus easily connects with high-resolution monitors, video projectors, LED video walls, professional switchers and converters. PlaybackPro is not compatible with video output devices such as an Aja T-TAP or Blackmagic UltraStudio device. Please visit our FAQ for current information.

General Hardware Setup

MacbookPro and iMac



Single Video Output

- HDMI
- Mini DisplayPort
- Thunderbolt (Video)
- USB-C (Video)
- VGA
- DVI

- Display
- Projector
- LED Video Wall
- Switcher
- Converter

MacPro and Mac Mini



Single Video Output

- HDMI
- Mini DisplayPort
- Thunderbolt (Video)
- USB-C (Video)
- VGA
- DVI

- Display
- Projector
- LED Video Wall
- Switcher
- Converter

Activation Overview

You will need a license for any DT Videolabs application. We offer USB and Internet Activated (IA) licenses. Follow the steps on page 6 to activate your license.

Demo Mode - If you need to evaluate PlaybackPro Plus or set up a show off-line, you can use Demo mode. It is fully functional but has a watermark on the fullscreen output. Download the USB version of PlaybackPro Plus (Internet Activated versions do not offer a demo mode), launch it, click on "New Show." After a few moments, you will get a dialog box with options for the USB key. Select "Run as Demo."

PreFlight

Each version of macOS has specific settings which have a great impact on playback performance. Before you begin, please visit www.dtvideolabs.com/preflight. This page also includes a link to a printable PDF if needed.



Top Keyboard Commands

See page 24 for a complete list of keyboard commands.

New Show.....	Shift + Command	N	Take	Enter
Save Show	Command	S	End All	Escape
Open Show.....	Command	O	Toggle Play/Pause	Shift + Option Space
Close Show.....	Command	W		
			Goto In.....	Shift + Command -
New Clip	Command	N	Goto Out.....	Shift + Command =
Duplicate Clip.....	Command	D	Preview Mark In.....	Command [
Delete Clip	Command	Delete	Preview Mark Out.....	Command]
			Preview Mark Slate.....	Command \

System Specifications

For 1920 x 1080 and lower resolution content we recommend a quad-core CPU, dedicated graphics with at least 512 MB of video RAM, 4+ GB of system RAM and internal PCIe Flash SSD drives.

Our recommended codecs are Apple ProRes 422 or h.264 in a .mov container file.

For the most current system specifications please visit www.dtvideolabs.com/playback-pro-plus.

Audio

Currently audio is handled by macOS. To change the audio output go to System Preferences, Sound, Output. Multi-channel audio is possible with PlaybackPro (Plus). Please contact us for current instructions.

Common compatible codecs are AAC, AIFF/AIFC, MP3 and .WAV.

Also From DT Videolabs


InstaCue



Professional audio playback for Macs with instant clip recall, organization and layering. Use anywhere music, voice over announcements and sound effects are needed.

[Read More](#)

SpeakerTimerPro



Mac software to keep live events and speakers on schedule by providing a highly readable and customizable digital timer.

[Read More](#)

RecordPro



Professional Mac utility for recording video and multitrack audio. Ingest content directly from a camera or record live events.

[Read More](#)

Controllers

Controllers greatly improve the efficiency and ease of use for PlaybackPro and PlaybackPro Plus. The controllers offer dedicated keys for the most common commands such as Take, End-all, and Goto 10/20/30. We offer a 40-key controller for PlaybackPro Plus and a 12-key controller that works with PlaybackPro and PlaybackPro Plus.



PlaybackPro Plus Activation

Using an Internet Activated (IA) Serial Number

PlaybackPro Plus can be activated using a serial code from either PlaybackPro Plus or the PlaybackPro Collection.

(1) Download the PlaybackPro Plus IA application from the link provided in your purchase email or from the Internet Activated (IA) table on www.dtvideolabs.com/downloads

(2) Place the unzipped program file into the Applications folder then double click to launch.

A delay of up to 10 seconds can occur when launching the application. This is normal behavior as the application checks the license.

(3) In the dialog box click the "Activate" button under the name of the application to be activated

(4) Enter the serial number provided at the time of purchase, including the dashes. A DT Videolabs serial number will always be 4 sets of 8 digits, separated by dashes. For example, xxxxxxxx-xxxxxxx-xxxxxxx-xxxxxxx. Enter your personal registration information in the remaining fields and click "Activate Now". It is important that you enter something in each of the fields.




Notes

- Internet access is required to activate or release a license, however it is not necessary for program use once a license is activated
- Registration information can be unique each time an application is activated
- Licenses are single seat and allow for the use of one application at a time, on one computer at a time
- License may be released from one computer and moved to another using the release process outlined below and at www.dtvideolabs.com/activation

Once activated, the Application Control Window will appear. If you encounter any problems during activation, please visit www.dtvideolabs.com/contact or email technical@dtvideolabs.com.

To Release an Internet Activated Serial Number


- (1) Connect the computer to the internet
- (2) Launch PlaybackPro Plus
- (3) Go to the PlaybackPro Plus menu (to the left of the File Menu), select "Manage Activations"
- (4) Store the serial number. A DT Videolabs serial number will always be 4 sets of 8 digits with dashes in-between.
- (5) Click on "Release License". The system will report when the license has been successfully released and available to activate on another system.




*****IMPORTANT***** License information will be retained on your system after you release a license. Users of previous versions will notice the addition of the "Clear Info" button which removes previous license info from your system and can aid in troubleshooting. If you have trouble activating a license, clear the info and try activating again. If you use the "Clear Info" button, it is important for you to retain a copy of your license number so you can reactivate.

New USB Installation Collection Instructions

- (1) Insert the USB Enabler key into the system
- (2) If you haven't already, go to www.dtvideolabs.com/downloads to download the Collection
- (3) Place the unzipped program files into the Applications folder then double click an application to launch
- (4) If running an application on a system for the first time, a window will open after you attempt to create or open a show. Select "Install Key Driver" and follow the on-screen instructions



Layout



Preview / Program

PlaybackPro Plus is designed on a Preview/Program paradigm, similar to a production switcher.

Preview - Preview is what will play next. Preview is always in blue. When a clip is selected from the playlist, it is placed in Preview and begins to pre-roll in the background to allow direct cuts and immediate transitions with clips playing in Program. Preview is used to set in/out points, set levels, fades and geometry.

Program - Program is what's going to the output. Program is always in red. When a clip is Taken from Preview, it transitions to Program and plays with any attributes you've set (in/out Points, fades, geometry, levels, etc). The Program window shows the clip exactly as it appears on the external output.

Green counter - The green counter is located over the Preview and Program window and shows the time elapsed relative to the In point.

Red counter - The red counter is located over the Preview and Program window and shows the time remaining relative to the Out point.

Setup - The aspect ratio of the output is reflected in the Preview and Program sections. To change the output resolution use the "Setup" button and select the desired resolution.

Playlist

The clips are shown in the Playlist and attributes are applied as clips are played. The clips are only being referenced, PlaybackPro Plus is nondestructive to original clips.

	#	Title	Comment	Section	TRT	Loop	Loop Duration	Freeze	Link	Link Duration
Take	1	Sunrise 1	Fake Ending at :20	Walk-in	00:04:23:03		+0.00		<input checked="" type="checkbox"/>	-2.50
Take	2	Commercial Spot reel	Use clip 4		00:05:29:57		+0.00		<input checked="" type="checkbox"/>	1.00
Take	2a	Volcano	Starts in black		00:01:41:28	<input checked="" type="checkbox"/>	2.00		<input checked="" type="checkbox"/>	-2.50
Take	3	Background	Cities		00:04:36:14		+0.00		<input checked="" type="checkbox"/>	-0.50
Take	4	Launch Pad			00:04:15:45		+0.00		<input checked="" type="checkbox"/>	2.00
Take	4a	Launch Transporter	3rd cut		00:00:59:06		+0.00		<input checked="" type="checkbox"/>	+0.00
Take	5	Transporter			00:04:15:45		+0.00		<input checked="" type="checkbox"/>	+0.00
Take	6	Mars Rover			00:04:55:57		+0.00		<input checked="" type="checkbox"/>	+0.00
Take	7	Transporter 2	Start at 0:45		00:01:00:55		+0.00		<input checked="" type="checkbox"/>	+0.00
Take	8	NASA	Launch	after coffee break	00:01:00:55		+0.00		<input checked="" type="checkbox"/>	-1.50
Take	9	New Mission			00:02:57:55		+0.00		<input checked="" type="checkbox"/>	-2.00
Take	9a	Fly by	1st of 2 clips		00:00:49:04		+0.00		<input checked="" type="checkbox"/>	+0.00
Take	9b	Fly by 2	2nd of 2 clips		00:12:36:35		+0.00		<input checked="" type="checkbox"/>	+0.00
Take	10	Saturn Rings	Use after 1:30 to the end		00:05:19:07	<input checked="" type="checkbox"/>	-2.00		<input checked="" type="checkbox"/>	+0.00
Take	11	Moonshot	use entire clip		00:02:57:55		+0.00		<input checked="" type="checkbox"/>	-2.00
Take	12	Landing			00:00:11:20		+0.00		<input checked="" type="checkbox"/>	+0.00

Adding Clips

"File" menu and select "New Clips"

"Action" button and select "New Clips"

Press **Command** + N

Drag and drop from a Finder window

Removing Clips

"File" menu and select "Remove Clip"

Highlight clip and press **Command** + Delete

"Action" button, select "Edit Multiple", select clips, select "Delete Selected"

Duplicating Clips

Highlight clip and select "File" and "Duplicate"

Highlight clip and select "Action" and "Duplicate"

Highlight clip and press **Command** + D

Duplicated clips create a new clip entry in the playlist but do not create a new file on a hard drive.

Ordering Clips

Clips can be reordered by dragging and dropping, or by using the "Move Up" and "Move Down" options from the "Action" button.

Locating Clips

If a clip has been moved from its original location or is off-line, its text will be grayed out. By clicking the “Action” button and selecting “Locate” you can redirect the reference to its new location, however the clip must have the same name.

Playlist Fields

Field - Enter alphanumeric text to allow for easy cueing of the next desired clip. In PlaybackPro Plus, the Clip Number can be entered on the keyboard to directly load a clip into Preview. In SimpleSync, the Clip Number can be used to load clips into Preview across multiple PlaybackPro Plus systems. The Clip Number field is for operator convenience, and does not affect the order in which the clips are played.

Title - Allows you to rename the reference of the clip for easier identification. Changing the title in this field does not change the filename of the original file stored on a hard drive.

Comment - Enter text / production notes for the clip

Section - Enter text / production notes for the clip

TRT - Total runtime of the clip

Loop - Select to loop an individual clip. When a clip that's set to Loop begins playback, the “Loop Temp” button in Show Controls is activated. See page 11 for more information on Show Controls. An entire playlist may be looped by selecting the “Link” checkbox for each clip.

Loop Duration - Sets the loop duration time. A negative number creates a seamless Dissolve (-3.00 = 3 second dissolve) between the end of the clip and the beginning of the clip, zero creates a Cut, and a positive number creates a Delay (+3.00 = 3 second Delay) before the clip starts playing again. This is the same as clicking the “Loop Temp” button and setting the “Loop Duration” manually in Show Controls.

Freeze - Selecting this checkbox will freeze on the last frame of the clip playing in Program and activates the “Freeze Temp” button in Show Controls. To end the freeze, “Take” another clip or click on the “Freeze Temp” button.

Link - When checked, the next clip in the playlist will automatically load into Preview, the “Link Temp” button in Show Controls will activate and the clip will transition to Program when the clip playing in Program ends. This is the same as manually selecting the next clip in Preview, clicking the “Link Temp” button, and setting the “Link Duration” manually in Show Controls. The clip in Preview (and Link Duration) can still be changed once the clip is playing.


Link duration - Sets the duration for a transition to the next clip when playout of the clip ends. A negative number creates a Dissolve (-3.00 = 3 second dissolve), zero creates a Cut, and a positive number creates a Delay (+3.00 = 3 second Delay).

Print - The playlist can be printed or saved as a PDF file by using the File menu and selecting Print.

Clip Settings

The Clip settings determine how a clip is played back in Program, and only affects the selected clip (whether in Preview or Program). All settings are saved when the Show File is saved.

Main Tab




- **File Path Indicator** - Shows the path and name of the referenced file
- **Fade-In Duration** - Tells clip how long to Fade-In on Take
- **Fade-Out Duration** - Tells clip how long to Fade-Out at end
- **Set In** - Sets where clip will begin playback
- **Set Out** - Sets where clip will end playback
- **Set Slate** - Used to set the Slate image for that clip


Geometry

Geometry settings are available on both the Preview and Program side to control the size, aspect ratio, cropping and positioning of clips and will be stored in the playlist if altered.

Geometry can be copied and pasted between clips using the "Copy Geometry" and "Paste Geometry" buttons.



Levels



Level settings are also available on both the Preview and Program side to control the black level, gain, gamma, color, hue and volume of the current clip. If the clip is in Program, changes are seen on the video output as well as in the Program section.

Levels can also be copied and pasted between clips using the "Copy Levels" and "Paste Levels" buttons.

Navigation Controls


Navigation Controls are used for finding specific parts of a clip to set In and Out points and the Slate image. There is a set of controls for both Preview and Program.



- (1) **Goto In / Out** - Moves the playback position to the In or Out Point
- (2) **Control Buttons** - Fast Reverse, Play-Pause Toggle, Pause, Play and Fast Forward buttons (in order from left to right)
- (3) **Shuttle** - Temporarily changes the playback speed. This is primarily used to set up a clip in Preview, however it can be used in Program. Clips in Program always begin playback at normal speed.
- (4) **Scrubber** - Used to find specific parts of a clip so that In, Out, and Slates can be set. This is primarily used in Preview, however can be used while in Program. When a Preview clip is Taken to Program, it starts from its In Point regardless of the Scrubber position.


Show Controls

The Show Controls breakdown into 3 areas: Take, Program's End and End All. Each is covered in the following sections.



Take

- (1) **Fade On Take Duration** - If "Take" is clicked while a clip is playing in Program, and the Take Duration is +0.00 or greater (a Cut or Delay), this control fades Program video and audio for the designated duration, before performing the Cut or Delay.



- (2) **Take Duration** - Controls how the Preview clip transitions to Program when “Take” is clicked. A negative number creates a Dissolve (-3.00 = 3 second dissolve), zero creates a Cut, and a positive number creates a Delay (+3.00 = 3 second Delay).

- (3) **Take** - Takes the Preview clip to Program


If there is nothing playing in Program, clicking “Take” causes the Preview clip to begin playing immediately (as a Cut), regardless of the Take Duration.

Possible Take Transitions

1 Take Duration	2 Fade On Take	3 On Take	Image
No Program Playing			
N/A	N/A	When Program is not playing, Preview will Cut to Program	
Mixing Preview and Program Clips			
-x.00	N/A	Preview will Mix to Program for x seconds	
Cutting Preview and Program Clips			
+0.00	+0.00	Preview will Cut to Program	
+0.00	+y.00	Preview will Cut to Program after Program fades for y seconds	
Delay between Preview and Program Clips			
+x.00	+0.00	Preview will Cut to Program after Delay of x seconds	
+2.00	+2.00	Preview will Cut to Program x seconds after Program fades for y seconds	

Program’s End



- (1) **Link Duration** - Controls how the Preview clip transitions to Program when “Link Temp” is selected and the Program clip has reached its end. A negative number creates a Dissolve (-3.00 = 3 second dissolve), zero creates a Cut, and a positive number creates a Delay (+3.00 = 3 second Delay).




























- (2) **Link Temp** - Temporarily Links or Un-links Preview and Program based on the Link Duration. The preview clip will not play if either “Freeze Temp” or “Loop Temp” is selected. This does not affect the clip’s permanent Link setting.
- (3) **Freeze Temp** - Temporarily freezes Program clip when it reaches its Out Point. A freeze can be terminated by either unselecting “Freeze Temp”, “Taking” a Preview Clip, or clicking “End All”. The program clip will not Freeze if “Loop Temp” is selected. This does not affect the clip’s permanent Freeze setting.

- (4) **Loop Temp** - Temporarily Loops or Un-loops the Program clip. Click "End All" to immediately end a loop, or "Take" if a clip is loaded in Preview. This does not affect the clip's permanent Loop setting.
- (5) **Loop Duration** - Controls how a loop will transition upon itself. A negative number creates a Dissolve (-3.00 = 3 second dissolve), zero creates a Cut, and a positive number creates a Delay (+3.00 = 3 second Delay).

Legend

	Button Activated
	Button not activated
Blank	Not Applicable

① ② ③ ④ ⑤

Link Duration	Link Temp	Freeze Temp	Loop Temp	Loop Duration	Loop, Freeze and Link Transitions	Image
No Program Playing						
					Program will End	
Loop						
				-x.00	Program will loop with a Mix of x seconds	
				-0.00	Program will loop with a Cut	
				+x.00	Program will loop with a Delay of x seconds	
Freeze						
					Program will freeze on last frame	
Link						
-y.00					Preview will Mix to Program for x seconds	
+0.00					Program will Cut to Program	
+y.00					Preview will Cut to Program after Delay of x	

Goto Buttons

The Goto 10 / Goto 20 / Goto 30 buttons immediately take the program to 10, 20 or 30 seconds from the clip's Out Point



End All

- (1) **End All Duration** - Specifies how long audio and video will fade out when "End All" is clicked
- (2) **End All** - Ends Program playback and Preview clip will not play

①

②



End All Duration	Result	Image
+0.00	Program will End, Preview will not start	
+x.00	Program will fade-out for x seconds, Preview will not start	

Edit Multiple Mode

The “Edit Multiple” mode may be selected from the “Action” menu to make changes across multiple clips and must be used with great care. Please make sure you are comfortable with any changes before you save your playlist.

Edit Multiple Select None Select All Warning: This is a very powerful sheet, please use with caution!

#	Title	Section	Comment	TRT
1	Sunrise 1	Walk-in	Fake Ending at :20	00:04:23:03
2	Commercial Spot reel		Use clip 4	00:05:29:57
2a	Volcano		Starts in black	00:01:41:28
3	Background		Cities	00:04:36:14
4	Launch Pad			00:04:15:45
4a	Launch Transporter		3rd cut	00:00:59:06
5	Transporter			00:04:15:45
6	Mars Rover			00:04:55:57
7	Transporter 2		Start at 0:45	00:01:00:55

Main

☒ Link -0.50

☐ Loop +0.00

Fade In +0.00

☐ Freeze +0.00

Fade Out +0.00

Comment:

Section:

Delete Selected

Levels

Volume 100.00

Gamma 100.00

Black 0.00

Gain 0.00

Saturation 100.00

Hue 0.00

Reset

Paste

Geometry

Size 100.00

Aspect 1.00

hPos 0.00

vPos 0.00

Crop Top 0.00

Crop bottom 0.00

Crop Left 0.00

Crop Right 0.00

Reset

Paste

Done

SimpleSync

About SimpleSync

SimpleSync is a free companion application for PlaybackPro Plus and is designed as a multi-sync roll software tool. While many clients use it as a Primary and Backup control it was not designed to function in that manner.

SimpleSync acts as a command server, while instances of PlaybackPro Plus act as clients. It utilizes Apple's Bonjour technologies for easy discovery and communication over Ethernet networks.

macOS's built in NTP (Network Time Protocol) can be used to minimize clock drift for accurate sync rolls.

How do I get it?

Download SimpleSync from www.dtvideolabs.com/download. It does not require a license.


Using SimpleSync

After you have completed the configuration steps described in the next section you will be able to create a frame-accurate, synchronized video roll across multiple systems.

SimpleSync Controls

- (1) **Command Type** - Determines how PlaybackPro Plus clients are cued
- (2) **Delay** - Controls the delay between the time the "Take" button is clicked and playback begins. This helps ensure proper cueing of clips on all PlaybackPro Plus clients. The delay may be increased if there are a large number of computers. Delay is only available for Clock Sync.
- (3) **Entering Clip Numbers** - Clips can be loaded into Preview on PlaybackPro Plus clients by typing their clip numbers directly on the keyboard. They will appear briefly in the interface window. Clip numbers can be assigned to the same, or to different clips, on each computer.

This makes sync roll recall easy. They must match the numbers entered in the # fields of PlaybackPro Plus clients. To prevent your keyboard from producing unwanted alerts, go to System Preferences > Sound > Sound Effects and disable "Play user inter-



face sound effects.”

(4) **Client List** - A list of connected PlaybackPro Plus clients

(5) **Show Controls** - These controls affect Take, End All and Goto 10/20/30

Configuring SimpleSync

There are 4 steps to properly configure SimpleSync:

- (1) Configure macOS networking
- (2) Select the desired Command option
- (3) Optionally, configure NTP (Network Time Control) server and clients
- (4) Configure PlaybackPro Plus for SimpleSync


Configure macOS Networking

All network settings should be made without SimpleSync or PlaybackPro Plus running.

All other network ports such as Airport (wireless) must be turned off.

Computers should be networked with a gigabit ethernet switch (not a hub). If you are connecting only two systems you can use a direct wired connection between the two systems.

Open System Preferences > Network and configure using the fixed IP values below.



SimpleSync/Server IP Values	192.168.1.100
PlaybackPro Plus/Client IP Vaues	192.168.1.101 through 192.168.1.200
Subnet Mask for all systems	255.255.255.0

Command Options

Direct Command

Using Direct Command is quick and easy, but should only be used when absolute synchronization isn't necessary.

When Direct Command is used, PlaybackPro Plus clients are triggered in nearly instantaneous succession. There may be a small latency between triggering the first computer and the last one, especially when a large number of computers are used. There is no clock sync with this option.

If you are using Direct Command you can skip the next section on NTP Setup.

Clock Sync (NTP)



PlaybackPro Plus utilizes QuickTime for video decoding, which is based on each computer's real time internal clock. Clock Sync assures all client computer clocks are in perfect sync. Each computer is assigned a time in the very near future to begin playback so that successive frames will display at the expected time. If clips on different computers are started at exactly the same time, they will remain in sync as long as their internal clocks do not drift apart during the duration of the clip. Drift can occur when looping clips. Be sure to test content when looping clips.

NTP (Network Time Control) Setup

NTP is built into macOS. It typically acts as a client of an Apple time server, but can point to a time server on a local network.


NTP Server Setup

One of your systems must be setup as the NTP server. This can be the system running SimpleSync or any of the other systems on the network. The system you have designated as the NTP time server will need to pull its clock information from the Apple time server "time.apple.com" so it will initially need to be connected to the internet but should be disconnected after all systems have synchronized their clocks. Connecting to the Apple time server is the default for all Mac systems.



NTP Client Setup

On all playback systems, go to System Preferences > Date & Time and enter the IP address of the SimpleSync server (should be 192.168.1.100) in the “Set date and time automatically” field.



Clock Settings for Server and Client playback machines

Go to the Clock tab on all playback machines and check “Display the time with seconds”. This needs to be done without PlaybackPro Plus or SimpleSync running. Each machine should now have the time of the first machine.

Troubleshooting NTP


A simple way to determine if the clocks are synchronized is to:

- (1) Uncheck the “Set Date and Time Automatically” checkbox
- (2) Set the time ahead 1 hour
- (3) Save the time
- (4) Enable the “Set Date and Time Automatically” checkbox

The time should reset to the time on the server.

Configure PlaybackPro Plus for SimpleSync

To activate SimpleSync functionality within PlaybackPro Plus, select “Network Setup” in the upper right corner of the PlaybackPro Plus window. SimpleSync must be running on one of the systems on the network for this option to be available.



If the SimpleSync option isn't visible, there is a problem with your network setup.

Select Listening Mode

PlaybackPro Plus offers several remote control options. Because SimpleSync is the focus of these instructions, select it from the list.


- (1) **No Control** - Stops all listening for remote commands
- (2) **UDP Listen** - System listens for commands over ethernet from remote system
- (3) **TCP/IP Listen** - System listens for commands over ethernet from remote system
- (4) **SimpleSync** - System listens for commands from SimpleSync



SimpleSync Listening Options

Name - Use this to name the system for reference within the SimpleSync interface

Delay - This setting allows you to create a delay for an individual system clock when using the NTP option.



SimpleSync FAQ

Does SimpleSync have to run on all systems?

Only one instance of SimpleSync should be running. The recommended configuration is for it to run on a separate system from the PlaybackPro Plus systems but it is possible to run it on a system that is also running PlaybackPro Plus.

Can I run SimpleSync on systems with different versions of macOS?

All systems should be running the same version of macOS and the same version of PlaybackPro Plus. You can use any combination of PlaybackPro Plus Internet Activated and USB licenses.

Do I have to have numbers in the # field for SimpleSync to work?


All PlaybackPro Plus playlists must have alphanumeric characters in the # (clip number) field.

How do I get it?

Download SimpleSync from from www.dtvideolabs.com/download. It does not require a license.


UDP and TCP/IP Remote Control

To control PlaybackPro Plus from a device other than SimpleSync, use UDP or TCP IP control. Select UDP Listen or TCP Listen from the “Network Setup” menu. To stop all communications, select “No Control” from the “Network Setup” menu.




UDP

PlaybackPro Plus listens for commands on port 7000. Set the IP address (should be static) and port number on the device that will be controlling PlaybackPro Plus. See the “UDP / TCP Commands” below for commands.



TCP

PlaybackPro Plus listens for a connection on port 4647. Set the IP address (should be static) and port number on the device that will be controlling PlaybackPro Plus, and tell it to connect. Once connected, the Network Status will show TCP/IP Connected, rather than TCP/IP Listening. Disconnect the remote source before selecting a different remote option. See the “UDP / TCP Commands” below for commands.



UDP / TCP Commands		
Command	Effect	Return
PR	Previous Clip	
NX	Next Clip	
CL	Clear Preview	
GOxxxx	Load clip xxx into Preview	
GTxxxx	Load clip xxx and Take	
TA	Take	
KL	End All (previously Kill)	
10	Goto 10	
20	Goto 20	
30	Goto 30	
SL	Loop Program	
EL	Unloop Program	
GExx.xx.xx.xx	Goto Time Elapsed	

PlaybackPro Plus 3.7

GRxx.xx.xx.xx	Goto Time Remaining	
PA	Pause	
PL	Play from current location	
GN		program clip name
GU		program clip number
GD		program clip duration
VN		preview clip name
VU		preview clip number
VD		preview clip duration
TE		program Time elapsed
TR		program Time remaining
PS		Playback Status
LS		Loop Status (YES/NO)
AN		All clip names, comma delimited. Commas in names will be replaced with periods.
AU		All clip numbers, comma delimited. Commas in numbers will be replaced with periods.
AD		All clip durations, comma delimited.
Slxxxx	Select Clip by ID	
Tlxxxx	Take Clip by ID	
ID	Return Clip IDs	
EI	Goto In Preview	
EO	Goto Out Preview	
ER	Fast Reverse Preview	
EF	Fast Forward Preview	
E-	Step Back Preview	
E+	Step Forward Preview	
ES	Mark In Preview	
EE	Mark Out Preview	
EP	Play/Pause Preview	
OI	Goto In Program	
OO	Goto Out Program	
OR	Fast Reverse Program	
OF	Fast Forward Program	
O-	Step Back Program	

PlaybackPro Plus 3.7

O+	Step Forward Program	
OS	Mark In Program	
OE	Mark Out Program	
OP	Play/Pause Program	
i-	Link Minus	
i+	Link Plus	
l-	Loop Minus	
l+	Loop Plus	
t-	Take Minus	
t+	Take Plus	
k-	End All Minus	
k+	End All Plus	
f-	Take Fade Minus	
f+	Take Fade Plus	
sa	Save	
it	Link Temp	
lt	Loop Temp	
ft	Freeze Temp	
BF	Window to Front	
SF		Show File Name

PlaybackPro Plus Keyboard Shortcuts

Show Files

New Show.....	Shift + Command	N
Open Show.....	Command	O
Close Show.....	Command	W
Save Show	Command	S
Save Show As.....	Shift + Command	S
Page Setup	Shift + Command	P
Print	Command	P

Show Controls

Select Previous Clip	↑
Select Next Clip	↓
Clear Preview.....	←
Take	Return
End All	Esc
Decrease Take Duration	Option ;
Increase Take Duration	Option '
Decrease Link Duration.....	Option A
Increase Link Duration.....	Option S
Decrease Fade On Take Duration	Option D
Increase Fade On Take Duration...	Option F
Decrease Loop Duration.....	Option G
Increase Loop Duration.....	Option H
Decrease Kill Duration	Option J
Increase Kill Duration.....	Option K
Toggle LoopTemp.....	Option L
Toggle Link Temp	Shift + Option L
Toggle Freeze ..	Shift + Control + Option L
Goto 10	Option 1
Goto 20	Option 2
Goto 30	Option 3

Navigation Controls - Preview

Toggle Play in Preview	Option Space
Step Forward in Preview	Option →
Step Backward in Preview.....	Option ←

Play Faster in Preview	Option ↑
Play Slower in Preview.....	Option ↓
Goto In.....	Command -
Goto Out.....	Command =

Navigation Controls - Program

Toggle Play in Program .	Shift + Option Space
Step Forward in Program .	Shift + Option →
Step Backward in Program.	Shift + Option ←
Play Faster in Program. .	Shift + Option ↑
Play Slower in Program. .	Shift + Option ↓
Goto In.....	Shift + Command -
Goto Out.....	Shift + Command =

Clips

New Clips	Command N
Delete Clip	Command Delete
Duplicate Clip.....	Command D
Select Previous Clip	↑
Select Next Clip	↓
Preview Mark In.....	Command [
Preview Mark Out.....	Command]
Preview Mark Slate.....	Command \

Edit

Cut	Command X
Copy.....	Command C
Paste	Command V
Select All	Command A

Window

Toggle Full Screen.....	Command F
Minimize to Dock	Command M

Help

Display Help	Shift + Command ?
--------------------	-------------------